


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	233	(flux adj guide) same (insulat\$)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/03 13:42
L2	4	("20010026423" "20020135949" "4898547" "5898547").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 14:29
S1	154	360/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 14:12
S2	301	360/324.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/03 13:34
S3	454	360/324.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 14:12
S4	368	360/324.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 14:12
S5	154	360/321.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:40
S6	301	360/324.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:40
S7	456	360/324.12.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:40
S8	369	360/324.11.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:40
S9	95	(S5 or S6 or S7 or S8) and ((flux adj guide) same insulat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:45

S10	95	(S5 or S6 or S7 or S8) and ((flux adj guide) same insulat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:40
S11	47	S10 and tunnel	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:43
S12	2	29/603.15.ccls. and (((flux adj guide) same (insulat\$)) and tunnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/03 11:46
S13	0	"324".S6.ccls. and ((flux adj guide) same insulat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:45
S14	41	360/324.2.ccls. and ((flux adj guide) same insulat\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/21 15:45
S15	353	360/324.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/25 12:55
S16	68	S15 and (flux adj guide)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/25 12:55
S17	8	29/603\$.ccls. and (((flux adj guide) same (insulat\$)) and tunnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/03 11:50
S18	49	360/324\$.ccls. and (((flux adj guide) same (insulat\$)) and tunnel)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/03 11:52
S19	19	("5390061" "5408377" "5648885" "5650958" "5901018" "5949622" "5953248" "6046892" "6051309" "6108177" "6133732" "6221172" "6271997" "6275363" "6313973" "6329078" "6407890" "6424506" "6639764").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 12:01

S20	15	("5649351" "5650958" "5712612" "5731937" "5754376" "5822158" "5862022" "5898547" "5898548" "5901018" "5930087" "5982177" "5995339" "6288871" "6327107").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/03 12:48
S21	16	flux adj guide	IBM_TDB	OR	OFF	2005/02/03 13:39


IEEE Xplore®
RELEASE 1.8

 Welcome
United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

 Your search matched **5** of **1123491** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Flux guide type tunnel-valve head for tape storage applications

Nakashio, E.; Sugawata, J.; Onoe, S.; Kumagai, S.;

Magnetics, IEEE Transactions on , Volume: 38 , Issue: 5 , Sept. 2002

Pages:1925 - 1927

[\[Abstract\]](#) [\[PDF Full-Text \(250 KB\)\]](#) **IEEE JNL**

2 Flux-guide type tunnel-valve head for helical scan tape system

Nakashio, E.; Sugawara, J.; Onoe, S.; Kumagai, S.;

Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers.

2002 IEEE International , 28 April-2 May 2002

Pages:AP17

[\[Abstract\]](#) [\[PDF Full-Text \(229 KB\)\]](#) **IEEE CNF**

3 Evaluation of front flux guide-type magnetic tunnel junction heads

Shimazawa, K.; Redon, O.; Kasahara, N.; Sun, J.J.; Sato, K.; Kagami, T.; Saruki, S.; Umehara, T.; Fujita, Y.; Yarimizu, S.; Araki, S.; Morita, H.; Matsuzaki, M.;

Magnetics, IEEE Transactions on , Volume: 36 , Issue: 5 , Sept 2000

Pages:2542 - 2544

[\[Abstract\]](#) [\[PDF Full-Text \(60 KB\)\]](#) **IEEE JNL**

4 Demonstrating a tunneling magneto-resistive read head

Song, D.; Nowak, J.; Larson, R.; Kolbo, P.; Chellew, R.;

Magnetics, IEEE Transactions on , Volume: 36 , Issue: 5 , Sept 2000

Pages:2545 - 2548

[\[Abstract\]](#) [\[PDF Full-Text \(80 KB\)\]](#) **IEEE JNL**

5 Flux-enhanced giant magnetoresistive head design and simulation

Zheng, Y.K.; You, D.; Wu, Y.H.;

Magnetics, IEEE Transactions on , Volume: 38 , Issue: 5 , Sept. 2002

Pages:2268 - 2270

[\[Abstract\]](#) [\[PDF Full-Text \(177 KB\)\]](#) **IEEE JNL**

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC](#) | [Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **31** of **1123491** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set
Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Study of recessed MR sensors with unlaminated and multi-laminated flux-guides

Tsang, C.; Krounbi, M.; Kasiraj, P.; Lee, R.;

Magnetics, IEEE Transactions on , Volume: 28 , Issue: 5 , Sep 1992

Pages:2289 - 2291

[\[Abstract\]](#) [\[PDF Full-Text \(344 KB\)\]](#) **IEEE JNL**

2 Flux-guided MR head for very low flying height

Koshikawa, T.; Ohtsuka, Y.; Ikegawa, Y.; Tanaka, H.; Toda, J.; Mizoshita, Y.;

Magnetics, IEEE Transactions on , Volume: 30 , Issue: 6 , Nov 1994

Pages:3840 - 3842

[\[Abstract\]](#) [\[PDF Full-Text \(232 KB\)\]](#) **IEEE JNL**

3 Flux-enhanced giant magnetoresistive head design and simulation

Zheng, Y.K.; You, D.; Wu, Y.H.;

Magnetics, IEEE Transactions on , Volume: 38 , Issue: 5 , Sept. 2002

Pages:2268 - 2270

[\[Abstract\]](#) [\[PDF Full-Text \(177 KB\)\]](#) **IEEE JNL**

4 Magnetic circuit analysis of flux guided reluctance motor using finite element method

Nagrial, M.H.; Sadri, S.M.R.;

Power Electronics and Drive Systems, 1995., Proceedings of 1995 International Conference on , 21-24 Feb. 1995

Pages:628 - 633 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(292 KB\)\]](#) **IEEE CNF**

5 HTS SQUID microscope head with permalloy flux guide

Nagaishi, T.; Minamimura, K.; Itozaki, H.;

Applied Superconductivity, IEEE Transactions on , Volume: 13 , Issue: 2 , June

2003

Pages:227 - 230

[\[Abstract\]](#) [\[PDF Full-Text \(545 KB\)\]](#) IEEE JNL

6 Evaluation of front flux guide-type magnetic tunnel junction heads

Shimazawa, K.; Redon, O.; Kasahara, N.; Sun, J.J.; Sato, K.; Kagami, T.; Saruki, S.; Umehara, T.; Fujita, Y.; Yarimizu, S.; Araki, S.; Morita, H.; Matsuzaki, M.;
Magnetics, IEEE Transactions on , Volume: 36 , Issue: 5 , Sept 2000
Pages:2542 - 2544

[\[Abstract\]](#) [\[PDF Full-Text \(60 KB\)\]](#) IEEE JNL

7 Flux guiding in an aluminum honeycomb lattice observed through magnetic resonance imaging

Marble, A.E.; Colpitts, B.G.; Balcom, B.J.;
Electrical and Computer Engineering, 2004. Canadian Conference on , Volume: 4 , 2-5 May 2004
Pages:1865 - 1868 Vol.4

[\[Abstract\]](#) [\[PDF Full-Text \(338 KB\)\]](#) IEEE CNF

8 GMR head for helical-scan recording with a 5000-h head life

Hallamasek, K.; Boots, M.; Souchon, F.; Hida, R.; Panabiere, M.; Albertini, J.-B.; Viala, B.;
Magnetics, IEEE Transactions on , Volume: 39 , Issue: 5 , Sept. 2003
Pages:2387 - 2389

[\[Abstract\]](#) [\[PDF Full-Text \(755 KB\)\]](#) IEEE JNL

9 Flux guide type tunnel-valve head for tape storage applications

Nakashio, E.; Sugawata, J.; Onoe, S.; Kumagai, S.;
Magnetics, IEEE Transactions on , Volume: 38 , Issue: 5 , Sept. 2002
Pages:1925 - 1927

[\[Abstract\]](#) [\[PDF Full-Text \(250 KB\)\]](#) IEEE JNL

10 Performance of focused ion beam trimmed yoke-type magnetoresistive heads for magnetic microscopy

Phillips, G.N.; Eisenberg, M.; Draaisma, E.A.; Abelman, L.; Lodder, J.C.;
Magnetics, IEEE Transactions on , Volume: 38 , Issue: 5 , Sept. 2002
Pages:3528 - 3535

[\[Abstract\]](#) [\[PDF Full-Text \(324 KB\)\]](#) IEEE JNL

11 Flux guides for permanent magnet machines

Hsu, J.S.;
Energy Conversion, IEEE Transactions on , Volume: 16 , Issue: 2 , June 2001
Pages:186 - 191

[\[Abstract\]](#) [\[PDF Full-Text \(164 KB\)\]](#) IEEE JNL

12 Magnetic flux guide for high-resolution SQUID microscope

Gudoshnikov, S.A.; Derquzhkina, Y.V.; Rudenchik, P.E.; Sitnov, Y.S.; Bondarenko, S.I.; Shablo, A.A.; Pavlov, P.P.; Kalabukho, A.S.; Snigirev, O.V.; Seidel, P.;
Applied Superconductivity, IEEE Transactions on , Volume: 11 , Issue: 1 , March 2001

Pages:219 - 222

[\[Abstract\]](#) [\[PDF Full-Text \(332 KB\)\]](#) IEEE JNL

13 Flux-guide type tunnel-valve head for helical scan tape system

Nakashio, E.; Sugawara, J.; Onoe, S.; Kumagai, S.;

Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers.

2002 IEEE International , 28 April-2 May 2002

Pages:AP17

[\[Abstract\]](#) [\[PDF Full-Text \(229 KB\)\]](#) IEEE CNF

14 Axially-laminated cum flux-guided reluctance motors with improved performance

Nagrial, M.H.; Sadri, S.M.R.;

Power Electronics and Drive Systems, 1997. Proceedings., 1997 International

Conference on , Volume: 1 , 26-29 May 1997

Pages:188 - 192 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(424 KB\)\]](#) IEEE CNF

15 Multi-flux guided rotor for variable speed reluctance motors

Sadri, S.M.R.; Nagrial, M.;

Power Electronics and Drive Systems, 1997. Proceedings., 1997 International

Conference on , Volume: 1 , 26-29 May 1997

Pages:275 - 279 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) IEEE CNF


[1](#) [2](#) [3](#) [Next](#)



IEEE Xplore®

RELEASE 1.8

Welcome
United States Patent and Trademark Office


[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **31** of **1123491** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

16 Demonstrating a tunneling magneto-resistive read head

Song, D.; Nowak, J.; Larson, R.; Kolbo, P.; Chellew, R.;

Magnetics, IEEE Transactions on , Volume: 36 , Issue: 5 , Sept 2000

Pages:2545 - 2548

[\[Abstract\]](#) [\[PDF Full-Text \(80 KB\)\]](#) IEEE JNL

17 Low concentration magnetic media tester

Chamberlain, F.R.; Jeffers, F.J.; Smith, N.; James, R.O.;

Magnetics, IEEE Transactions on , Volume: 33 , Issue: 5 , Sept. 1997

Pages:4014 - 4016

[\[Abstract\]](#) [\[PDF Full-Text \(276 KB\)\]](#) IEEE JNL

18 The observation of a transverse voltage at the superconducting transition of thin films

Francavilla, T.L.; Hein, R.A.;

Magnetics, IEEE Transactions on , Volume: 27 , Issue: 2 , Mar 1991

Pages:1039 - 1042

[\[Abstract\]](#) [\[PDF Full-Text \(364 KB\)\]](#) IEEE JNL

19 Maximising the saliency ratio of the synchronous reluctance motor

Staton, D.A.; Miller, T.J.E.; Wood, S.E.;

Electric Power Applications, IEE Proceedings B [see also IEE Proceedings-Electric Power Applications] , Volume: 140 , Issue: 4 , July 1993

Pages:249 - 259

[\[Abstract\]](#) [\[PDF Full-Text \(940 KB\)\]](#) IEE JNL

20 Flux-enhanced giant magnetoresistance head design and simulation

Zheng, Y.K.; You, D.; Wu, Y.H.;

Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International , 28 April-2 May 2002

Pages:BP12

[\[Abstract\]](#) [\[PDF Full-Text \(227 KB\)\]](#) IEEE CNF

21 Thin-film read head for analog audio application

Druyvesteyn, W.; Postma, L.; Somers, G.; de Wilde, J.;

Magnetics, IEEE Transactions on , Volume: 19 , Issue: 5 , Sep 1983

Pages:1748 - 1750

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) IEEE JNL

22 Highly sensitive uncooled magnetometers: State of the art. Superconducting magnetic hybrid magnetometers, an alternative to SQUIDS?

Robbes, D.; Dolabdjian, C.; Saez, S.; Monfort, Y.; Kaiser, G.; Ciureanu, P.;

Applied Superconductivity, IEEE Transactions on , Volume: 11 , Issue: 1 , March 2001

Pages:629 - 634

[\[Abstract\]](#) [\[PDF Full-Text \(616 KB\)\]](#) IEEE JNL

23 Optimization shows Halbach arrays to be non-ideal for induction devices

Davey, K.;

Magnetics, IEEE Transactions on , Volume: 36 , Issue: 4 , July 2000

Pages:1035 - 1038

[\[Abstract\]](#) [\[PDF Full-Text \(136 KB\)\]](#) IEEE JNL

24 An electromagnetically actuated bi-stable MEMS optical microswitch

Gatzen, H.H.; Obermeier, E.; Kohlmeier, T.; Budde, T.; Ha Duong Ngao;

Mukhopadhyay, B.; Farr, M.;

TRANSDUCERS, Solid-State Sensors, Actuators and Microsystems, 12th

International Conference on, 2003 , Volume: 2 , 8-12 June 2003

Pages:1514 - 1517 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(427 KB\)\]](#) IEEE CNF

25 Giant magnetoresistive sensors for rotational speed control and current monitoring applications

Freitas, P.P.; Silva, F.B.; Melo, L.V.; Costa, J.L.; Almeida, N.; Bernardo, J.;

Electronics, Circuits and Systems, 1998 IEEE International Conference

on , Volume: 3 , 7-10 Sept. 1998

Pages:267 - 269 vol.3

[\[Abstract\]](#) [\[PDF Full-Text \(244 KB\)\]](#) IEEE CNF

26 The study of recessed MR sensors with un-laminated and multi-laminated flux-guides

Tsang, C.; Krounbi, M.; Kasiraj, P.;

Magnetics Conference, 1992. Digests of Intermag '92., International , 13-16 April 1992

Pages:84 - 84

[\[Abstract\]](#) [\[PDF Full-Text \(203 KB\)\]](#) IEEE CNF

27 Heads for high-density magnetic tape recording

van Groenou, A.B.;
CompEuro '89., 'VLSI and Computer Peripherals. VLSI and Microelectronic Applications in Intelligent Peripherals and their Interconnection Networks',
Proceedings. , 8-12 May 1989
Pages:1/85 - 1/90

[\[Abstract\]](#) [\[PDF Full-Text \(500 KB\)\]](#) IEEE CNF

28 **Super-narrow track MR head**

Kanai, K.; Kobayashi, F.; Sugaya, H.;
Magnetics, IEEE Transactions on , Volume: 11 , Issue: 5 , Sep 1975
Pages:1212 - 1214

[\[Abstract\]](#) [\[PDF Full-Text \(280 KB\)\]](#) IEEE JNL

29 **Axial-flux modular permanent-magnet generator with a toroidal winding for wind-turbine applications**

Muljadi, E.; Butterfield, C.P.; Yih-Huie Wan;
Industry Applications, IEEE Transactions on , Volume: 35 , Issue: 4 , July-Aug. 1999
Pages:831 - 836

[\[Abstract\]](#) [\[PDF Full-Text \(184 KB\)\]](#) IEEE JNL

30 **Inductive microtransformer exploiting the magnetoelastic effect**

Rissing, L.H.; Zielke, S.A.; Gatzert, H.H.;
Magnetics, IEEE Transactions on , Volume: 34 , Issue: 4 , July 1998
Pages:1378 - 1380

[\[Abstract\]](#) [\[PDF Full-Text \(464 KB\)\]](#) IEEE JNL

[Prev](#) [1](#) [2](#) [3](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved